



SPARKMED

VALVES & CONTROLS

VALVES PORTFOLIO

PRODUCTS OVERVIEW

KNIFE GATE | BALL | BUTTERFLY





About SparkMed


SparkMed Valves & Controls is an ISO-certified manufacturing facility in Coimbatore, India, we pride ourselves as manufacturers of precision, world-class quality, and reliable valves for process industries worldwide.

Extensive Product Range: Our portfolio includes precision Knife Gate valves designed for all demanding services—including slurry, paper & pulp—alongside all types of Butterfly valves

World-Class Manufacturing: Leveraging our state-of-the-art production setup, we ensure every valve meets the highest standards of performance, durability, and operational safety.

Custom Engineering: We specialize in producing bespoke, custom-designed valve solutions tailored precisely to your unique specifications, pressure ratings, and plant requirements.

Contact our dedicated sales and support team today to discuss your valve requirements, custom engineering projects, or global sourcing needs.



KNIFE GATE VALVES


Applications : Industrial, Waste Water, Mining

SLB100

Slurry Valve (Wafer)

Bi-directional slurry valve, designed for high pressure slurry applications. Ductile iron body is offered in a two-piece bolted flange style.

Sizes: DN80-DN600
PN10/PN16 Pr.Rating



SLB300HP

Slurry Valve (High Pressure)

Bi-directional slurry valve for High Pressure applications. Push thru gates, Self Cleaning and prevent media buildup. Cast Steel body in Wafer or Flanged end connections.

Sizes: DN80-DN600
CWP-20 & 50 Pr.Rating



SLB200

Slurry Valve (Flanged)

Bi-directional slurry valve. Dual, embedded spring steel reinforced, elastomer sleeves Dynamically corrected sealing for Zero Leak.

Sizes: DN80-DN600
CWP-7 & 10 Pr.Rating



KGB700

General Purpose

Bi-directional valve for standard applications like Isolation, On-Off, Corrosive, Viscous, Suspended solids. Single piece cast steel body.

Sizes: DN80-DN600
PN10 Pr.Rating



KGB800/801

Mild Slurry Valves

Bi-directional valve for mild slurry applications. Features a robust steel reinforced perimeter seat which provides zero leakage shutoff. Replaceable steel reinforced perimeter seat, Clevis design, Quad packing for gland sealing.

Sizes: DN80-DN600
PN10/16 Pr.Rating

ROTARY VALVES

Applications : Oil&Gas, Water, General, Chemical



SBF100/101

Rubber lined Butterfly Valves

General purpose soft seated Butterfly valve with fully rubber lined single piece body with centric disc construction and is available in wafer type body pattern. The body liner which also functions as the soft seat, comes in replaceable or an integrally molded (bonded). Offers 100 % bi-directional sealing

Sizes: DN40-DN1000 | Wafer or Lugged End Connection.
PN10/16 Pressure Rating

BLF100/BLS200

General Service Ball Valves

Three piece Ball valves in Flanged, Socket Welded design for general applications. Mirror finished Ball with Bubble tight shutoff design. Anti Static, Fire Safe options. Cast Steel and Stainless Steel options in materials.

Sizes: DN15-DN50
ANSI Class 150 (Flanged), 800# Socket Weld Pr.Ratings



For detailed technical specifications, Dimensional details, please refer our individual product catalogues in our website www.sparkmedls.com or refer below QR code.

FOR ENQUIRIES AND CONTACT

OFFICE

SparkMed Valves & Controls
33B, Dhanabal Layout
Uppilpalayam PO, Singanallur
Coimbatore 641 005, Tamilnadu, India



PHONE

+(91) 98942 24950
+(91) 99947 42020
Email: valves@sparkmedls.com
www.sparkmedls.com